









PRODUCT	DESCRIPTION	DETAILS	MAX SIZES: base width					
			Acoustically Transparent Surfaces		Solid Surfaces			
			Enlightor NEO	Enlightor NEO W	AV Black 1.2	AV Silver 1.3	AV Grey 0.8	Enlightor S
FullScreen	 Borderless Fixed Frame Screen	Frame Width: 0mm Screen Depth: Up to 140" wide view: 30mm Over 140" wide view: 40mm Install: Z / Snap-in Brackets	HD 200" / 5.1m WS 280" / 7.1m	N/A	N/A	N/A	N/A	N/A
Slim	 Thin Bezel Fixed Frame Screen	Frame Width: 15mm Screen Depth: 30mm Install: Z Brackets	HD 140" / 3.5m WS 140" / 3.5m	N/A	N/A	N/A	N/A	N/A
Contrast	 A Neat Fixed Frame Screen	Frame Width: 38mm Screen Depth: 38mm Install: Z Brackets	HD 140" / 3.5m WS 140" / 3.5m	N/A	HD 106" / 2.7m WS 140" / 3.5m	HD 106" / 2.7m WS 140" / 3.5m	HD 130" / 3.3m WS 140" / 3.5m	N/A
Reference	 Reference Fixed Frame Screen	Frame Width: 94mm Screen Depth: Up to 180" wide view: 60mm 181"- 300" wide view: 80mm Over 300" wide view: 100mm Install: Z / Snap-in Brackets	HD 200" / 5.1m WS: 280" / 7.1m	HD: 315" / 8.0m WS: 425" / 10.8m	N/A	N/A	N/A	N/A
VistaCurve	 Curved Fixed Frame Screen	Frame Width: 94mm Screen Depth: 115 - 270mm Install: Z Brackets	HD 210" / 5.3m WS: 210" / 5.3m	N/A	N/A	N/A	N/A	N/A
Movie Partner	 The Extra Large Screen solution. Available options: Borderless, Bordered and/or Curved	Border Width: Customer defined Frame Depth: 40mm Install: Z Brackets	HD 210" / 5.3m WS 280" / 7.1m	HD 315" / 8m WS 425" / 10.8m	N/A	N/A	N/A	N/A







*Max sizes based on 2.40 AR for WS and 1.78 AR for HD








Fixed Frame Screens Advanced

PRODUCT	DESCRIPTION	DETAILS	MAX SIZES: base width					
			Acoustically Tranparent Surfaces		Solid Surfaces			
			Enlightor NEO	Enlightor NEO W	AV Black 1.2	AV Silver 1.3	AV Grey 0.8	Enlightor S
Contrast Advanced	 A Neat On The Wall Install Fixed Frame Screen	Frame Width: 40mm Screen Depth: 40mm Install: Z Brackets	HD 140" / 3.5m WS 140" / 3.5m	N/A	HD 106" / 2.7m WS 140" / 3.5m	HD 106" / 2.7m WS 140" / 3.5m	HD 130" / 3.3m WS 140" / 3.5m	N/A
Reference Advanced	 Reference On The Wall Install Fixed Frame Screen	Frame Width: 94mm Screen Depth: 60mm Install: Z / Snap-in Brackets	HD 200" / 5.1m WS 200" / 5.1m	N/A	HD 106" / 2.7m WS 140" / 3.5m	HD 106" / 2.7m WS 140" / 3.5m	HD 130" / 3.3m WS 140" / 3.5m	N/A

*Max sizes based on 2.40 AR for WS and 1.78 AR for HD

			MAX SIZES: base width					
PRODUCT	DESCRIPTION	DETAILS	Acoustically Transparent Surfaces		Solid Surfaces			
			Enlightor NEO	Enlightor NEO W	AV Black 1.2	AV Silver 1.3	AV Grey 0.8	Enlightor S
TAM1	 Programmable Multi Aspect Ratio Screen with Motorised Top Mask	Frame Width: 94mm Screen Depth: 145mm Install: Z Brackets	HD 200" / 5.1m	HD 220" / 5.6m	HD 106" / 2.7m	HD 106" / 2.7m	HD 130" / 3.3m	N/A
TAM2TB	 Programmable Multi Aspect Ratio Screen with Motorised Top and Bottom Masks	Up to 150" wide view: Frame Width x Depth: 94 x 145mm Over 150" wide view: Frame Width x Depth: 200 x 200mm Install: Z Brackets	HD 200" / 5.1m	HD 220" / 5.6m	HD 106" / 2.7m	HD 106" / 2.7m	HD 130" / 3.3m	N/A
TAM2L	 Programmable Multi Aspect Ratio Screen with Motorised Lateral Masks	Up to 200" wide view: Frame Width x Depth: 94 x 145mm Over 200" wide view: Frame Width x Depth: 94 x 225mm Install: Z Brackets	WS 280" / 7.1m	N/A	WS 140" / 3.5m	WS 140" / 3.5m	WS 140" / 3.5m	N/A
TAM2FC	 Multi Aspect Ratio Screen with Fully Closing Motorised Lateral Masks	Frame Width: 94mm Screen Depth: 225mm Install: Z Brackets	WS 255" / 6.5m	N/A	N/A	N/A	N/A	N/A
Absolute	 Programmable Curved Multi Aspect Ratio Screen with Fully Closing Motorised Lateral Masks	Frame Width: 94mm Screen Depth: 225 - 415mm Install: Z Brackets	WS 180" / 4.6m	N/A	N/A	N/A	N/A	N/A
TAM-4	 Programmable Multi Aspect Ratio Screen with 4 way Motorised Masks	Frame Width: 94mm Screen Depth: 147mm Install: Z Brackets	2.04AR 180" / 4.6m	N/A	N/A	N/A	N/A	N/A

*Max sizes based on 2.40 AR for WS and 1.78 AR for HD

PRODUCT	DESCRIPTION	DETAILS	MAX SIZES: base width					
			Acoustically Tranparent Surfaces		Solid Surfaces			
			Enlightor NEO	Enlightor NEO W	AV Black 1.2	AV Silver 1.3	AV Grey 0.8	Enlightor S
RST	 Retractable Solid Tensioned Screen	Case H x D: 145 x 147mm Std Blk Drop: 500mm Install: On-Ceiling / Wall	N/A	N/A	N/A	N/A	N/A	HD 160" / 4.0m WS 160" / 4.0m
RST In-Ceiling	 In Ceiling Retractable Solid Tensioned Screen	Case H x D: 136 x 147mm Std Blk Drop: 500mm Install: In-Ceiling	N/A	N/A	N/A	N/A	N/A	HD 160" / 4.0m WS 160" / 4.0m
MediaTime	 Retractable Motorized Tensioned Acoustically Transparent Screen	Case H x D: 136 x 136mm Std Blk Drop: 500mm Install: On-Wall	HD 140" / 3.5m WS 160" / 4.0m	N/A	N/A	N/A	N/A	N/A
RM2-T	 Retractable Motorized Tensioned Acoustically Transparent Screen	Case H x D: 147 x 140mm Std Blk Drop: 210mm Install: On-Wall / On-Ceiling	HD 120" / 3.0m WS 140" / 3.5m	N/A	N/A	N/A	N/A	N/A
MFR	 Multi Format Retractable Motorized Tensioned Acoustically Transparent Screen	Case H x D: 147 x 280mm Std Blk Drop: 210mm Install: On-Wall / On-Ceiling	HD 120" / 3.0m WS 140" / 3.5m	N/A	N/A	N/A	N/A	N/A

*Max sizes based on 2.40 AR for WS and 1.78 AR for HD



Acoustically Transparent Woven Screen Materials

PRODUCT	DESCRIPTION	DETAILS			
		Acoustic Insertion Loss (constant)	Gain	Max Standard Sizes (base width)	
				HD AR: 1.78:1 (16/9)	WS AR: 2.35-2.40 :1
Enlightor NEO	<p>The Audiophile Screen Surface</p> <p>A woven synthetic flame-retardant fabric with a negligible acoustic insertion loss and an enhanced video dynamic range.</p>	<1.0 dB	0.95	210" 5334mm	280" 7112mm
Enlightor NEO-W	<p>The Large Size Enlightor Surface</p> <p>A woven synthetic flame-retardant fabric with a minimum acoustic insertion loss and an excellent video dynamic range for very large seamless screens.</p>	<1.5 dB	0.8	310" 7874mm	420" 10668mm

Ambient Light Rejecting Materials

PRODUCT	DESCRIPTION	DETAILS			
		Off Axis Light Rejection	Gain	Max Standard Sizes (base width)	
				HD AR: 1.78:1 (16/9)	WS AR: 2.35-2.40 :1
Ambient Visionaire Black	<p>The High Contrast Ambient Light Projection Surface</p> <p>A solid projection surface for ultimate imaging and enhanced contrast in medium to moderate ambient light conditions</p>	x9.2	1.2	105" 2667mm	140" 3556mm
Ambient Visionaire Silver	<p>The Extreme Ambient Light Projection Surface</p> <p>A solid projection surface for ultimate imaging and enhanced contrast even in extreme ambient light conditions</p>	x3	1.3	105" 2667mm	140" 3556mm
Ambient Visionaire Grey	<p>The Versatile Ambient Light Projection Surface</p> <p>A solid projection surface ultimate imaging and enhanced contrast for all types pf projectors including Ultra Short Throw</p>	x3	0.8	160" 4064mm	200" 5080mm